

OUTDOOR LG LED SIGNAGE

GSCD Ultra Light Series



Lightweight Design



Easy Maintenance



IP Rated Weatherproof Design



90° Corner Design Available




Front or Rear Serviceability




Lightweight Design

The weights of the cabinet is very light, so even if a large LED screen is installed on the roof, it puts less pressure on the building's load.



Easy Maintenance

The control unit (PDU) of the cabinet is a modular type which can be easily attached or detached, supporting easy maintenance.



Front or Rear Serviceability

The product offers either front access or rear access, allowing customers to choose installation options according to their environment.



90° Corner Design Available

If you add a 90° corner option*, the GSCD series can deliver content effectively even when installed on the corners.



IP Rated Weatherproof Design

The front and back of the cabinet are IP65 certified, allowing stable operation less affected by weather.

 $^{^{\}star}$ Require purchase of 90° corner installable model.

84.4 (P6.9) / 85.1 (P10)

62.4 (P6.9) / 63.1 (P10)

PRODUCT INFORMATION




GSCD Series


Pixel Pitch	6.94 / 10.41 mm
Brightness	5,000 nit
Cabinet Weight	18.5 / 10.4 kg (P6.9) 19.0 / 10.6 kg (P10)
Serviceability	Front or Rear (One Option Only)
IP Rating	IP65

DIMENSION

(unit: mm)

1,000 × 1,000 (P6.9 / P10)





1,000 × 500 (P6.9 / P10)



